



Industrial sinks and additional components

Industrial sinks

AB utility sinks	186
AB, ES, ZS, ZM, Z sink unit top	186
Hand-washing basin and utility sink combination	188
Hand-washing basins	190
Build-in basins EE	191
Build-in glass-rinsing/ double glass-rinsing basins	191
Build-in basins, Softline	192
Build-in basins, Hardline	193
Accessories for industrial sinks	194
Soap dispensers	197
Disinfectant dispensers	197
Towel dispensers	197
Wastepaper basket	197

Additional components

Bain-marie	198
Cutlery and napkin dispensers	200
Cup dispensers	200
Spice containers	201
Other additional components	201
Folding table	201



As if made from one piece – the high-quality sink unit tops and welded-in basins by BLANCO Professional

Regardless of whether you need them for a professional kitchen or one at home – as one of the leading manufacturers of sinks and stainless-steel products, we guarantee that our well-designed products are of optimum quality. The high-quality build-in basins and countertops are no exception here.



AB utility sink/
AB sink unit top



ES sink unit top



ZS sink unit top



Z sink unit top



ZM sink unit top



1



2



3

1 Two in one

The HAU hand-washing basin and utility sink combination. Heavy pots can be conveniently poured out at carrying height.

2 Optimum safety

Folded vertical shelves, all-round profile edge.

3 Micro-polished surface

Excellent hygiene, minimal cleaning effort.



Accessory wastepaper basket
Of steel screen with white synthetic coating.



Accessory towel dispenser
Of stainless steel, for up to 500 paper towels.




Accessory soap dispenser
For soap or disinfectant, stainless steel.


Industrial sinks

Notes: * These basins are equipped with a 1 1/2" tube overflow with 2" drain.

AB sink unit top/utility sink

Illustration	Model	Designation	Exterior dimensions/ Basin dimensions (mm)	Order No.	Price in € excl. VAT
	AB 5x6*	AB sink unit top/utility sink made of stainless steel, in acc. with DIN 18861, Height of edge: 50 mm, back folded vertical shelf: 50 mm high, incl. tube overflow, 2" drain	500 x 600 mm 370 x 340 x 150 mm	576 120	
	AB 5x6-4*		500 x 600 mm 400 x 400 x 200 mm	576 210	
	AB 5x7-4*		500 x 700 mm 400 x 400 x 200 mm	576 310	
	AB 6,5x7		650 x 700 mm 500 x 500 x 250 mm	576 410	
	AB 7x7		700 x 700 mm 500 x 500 x 250 mm	576 510	
	AB 7,5x8		750 x 800 mm 600 x 600 x 300 mm	576 610	


ES sink unit top

	ES 12x6-4/2 RE* Basin right	ES sink unit top one basin on side, one-sided grooved surface, made of stainless steel, in acc. with DIN 18861, Height of edge: 50 mm, back folded vertical shelf: 50 mm high, incl. tube overflow, 2" drain	1200 x 600 mm 400 x 400 x 200 mm	576 140	
	ES 12x6-4/2 LI* Basin left			576 130	
	ES 12x6-4/3 RE* Basin right		1200 x 600 mm 400 x 400 x 300 mm	576 240	
	ES 12x6-4/3 LI* Basin left			576 230	
	ES 12x6-5 RE Basin right		1200 x 600 mm 500 x 400 x 250 mm	576 340	
	ES 12x6-5 LI Basin left			576 330	
	ES 12x7 RE Basin right		1200 x 700 mm 500 x 500 x 250 mm	576 440	
	ES 12x7 LI Basin left			576 430	
	ES 14x7 RE Basin right		1400 x 700 mm 600 x 500 x 250 mm	576 540	
	ES 14x7 LI Basin left			576 530	


Industrial sinks

Notes: * These basins are equipped with a 1 1/2" tube overflow with 2" drain.


ZS sink unit top

Illustration	Model	Designation	Exterior dimensions/ Basin dimensions (mm)	Order No.	Price in € excl. VAT
	ZS 15x6-4 RE* Basin right	ZS sink unit top two basins on side, one-sided grooved surface, made of stainless steel, in acc. with DIN 18861, Height of edge: 50 mm, back folded vertical shelf: 50 mm high, incl. 2 tube overflows and drain connections, 2" drain	1500 x 600 mm 400 x 400 x 200 mm	576 160	
	ZS 15x6-4 LI* Basin left			576 150	
	ZS 15x6-4/2,5 RE* Basin right		1500 x 600 mm 400 x 400 x 250 mm	576 260	
	ZS 15x6-4/2,5 LI* Basin left			576 250	
	ZS 16x7 RE Basin right		1600 x 700 mm 400 x 500 x 250 mm	576 360	
	ZS 16x7 LI Basin left			576 350	
	ZS 18x6-5 RE Basin right		1800 x 600 mm 500 x 400 x 250 mm	576 460	
	ZS 18x6-5 LI Basin left			576 450	
	ZS 19x7 RE Basin right		1900 x 700 mm 500 x 500 x 250 mm	576 560	
	ZS 19x7 LI Basin left			576 550	
	ZS 20x7 RE Basin right		2000 x 700 mm 500 x 500 x 250 mm	576 660	
ZS 20x7 LI Basin left	576 650				

Z sink unit top

	Z 10x6-4*	Z sink unit top two basins, no grooved surface, made of stainless steel, in acc. with DIN 18861, Height of edge: 50 mm, back folded vertical shelf: 50 mm high, incl. 2 tube overflows and drain connections, 2" drain	1000 x 600 mm 400 x 400 x 200 mm	576 170	
	Z 12x6-5			1200 x 600 mm 500 x 400 x 250 mm	576 370
	Z 12x7		1200 x 700 mm 500 x 500 x 250 mm	576 470	
	Z 14x7		1400 x 700 mm 600 x 500 x 250 mm	576 570	
	Z 14x8		1400 x 800 mm 600 x 600 x 300 mm	576 670	

ZM sink unit top

	ZM 20x6-4*	ZM sink unit top two basins in middle, grooved surface on left and right, made of stainless steel, in acc. with DIN 18861, Height of edge: 50 mm, back folded vertical shelf: 50 mm high, incl. tube overflow and drain connection, 2" drain	2000 x 600 mm 400 x 400 x 200 mm	576 180	
--	-------------------	---	-------------------------------------	----------------	--

The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

Industrial sinks

Hand-washing basin and utility sink combination of stainless steel, free-standing model



Model HAU-P 5x7



Model HAU-PS 5x7

Basin dimensions:	Hand-washing basin: 340 x 240 x 150 mm Utility sink: 370 x 340 x 150 mm	Hand-washing basin and utility sink combination on feet, complete with a mixer tap (1/2"), fixed support rack of synthetic and drain set	Hand-washing and utility sink combination on feet, with removable maintenance panel, complete with a mixer tap (1/2"), a sensor-controlled mixer tap, support rack of synthetic and drain set, connection for sensor-controlled mixer tap: 230 V		
Dimensions		Model Order No.	Price in € w/o VAT	Model Order No.	Price in € w/o VAT
Exterior dimensions:	500 x 600 x 850 mm	HAU-P 5x6		HAU-PS 5x6	
	500 x 600 x 850 mm, with maintenance panel	<u>566 645</u>		<u>566 647</u>	
	500 x 600 x 900 mm	572 553		572 554	
Exterior dimensions:	500 x 700 x 850 mm	HAU-P 5x7		HAU-PS 5x7	
	500 x 700 x 850 mm, with maintenance panel	<u>566 255</u>		<u>566 256</u>	
	500 x 700 x 900 mm	572 555		572 556	

Industrial sinks

Hand-washing basin and utility sink combination of stainless steel, wall-mounted model



Model HAU-PW 5x7




Model HAU-PSW 5x7

Basin dimensions::	Hand-washing basin: 340 x 240 x 150 mm Utility sink: 370 x 340 x 150 mm	Wall-mounted hand-washing basin and utility sink combination, complete with a mixer tap (1/2"), fixed support rack of synthetic and drain set	Wall-mounted hand-washing basin and utility sink combination, with removable maintenance panel, complete with a mixer tap (1/2"), a sensor-controlled mixer tap, support rack of synthetic and drain set, connection for sensor-controlled mixer tap: 230 V		
Dimensions		Model Order No.	Price in € w/o VAT	Model Order No.	Price in € w/o VAT
Exterior dimensions:	500 x 600 x 570 mm	HAU-PW 5x6		HAU-PSW 5x6	
	500 x 600 x 570 mm, with maintenance panel	566 646		566 648	
Exterior dimensions:	500 x 700 x 570 mm	HAU-PW 5x7		HAU-PSW 5x7	
	500 x 700 x 570 mm, with maintenance panel	566 271		566 270	

Options

for hand-washing basin and utility sink combination, options for standing and wall-mounted model

Designation	for models 	Price in € w/o VAT
Removable maintenance panel	all HAU-P, HAU-PW	
Swingaway support rack of CNS (in place of fixed support rack of synthetic), hinged on the right	all HAU	
Selectively controlled battery-operated mixer tap instead of mains connection (battery-operated using 3V battery)	HAU-PS, HAU-PSW	
Waste drawer positioned below the utility sink, can be closed and opened with the foot, waste container: GN-B 2/3-150, can be removed for cleaning	all HAU-P with option removable maintenance panel, HAU-PS	

The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

Industrial sinks W/WB/WBS/HW-K

Hand-washing basins with brackets/basin valance of stainless steel

Illustration	Model	Designation	Exterior/ basin dimensions (mm)	Drain dia.	Order No.	Price in € w/o VAT	
	<u>W 4 x 3,2 x 1,5</u>	Hand-washing basin with welded-on triangular brackets, turned down 30 mm on 3 sides, turned up 20 mm at rear	400 x 320 x 170 340 x 240 x 150	1 1/2"	506 300		
		Hand-washing basin without brackets, turned down 30 mm on 3 sides, turned up 20 mm at rear	400 x 320 x 170 340 x 240 x 150	1 1/2"	203 812		
		1 1/2" drain and overflow valve			223 063		
	<u>WB 4 x 3,2 x 1,5</u>	Hand-washing basin with basin valance on 3 sides, turned up 20 mm at rear	400 x 320 x 200 340 x 240 x 150	1 1/2"	507 010		
		1 1/2" drain and overflow valve				223 063	
	<u>W 5,5 x 4,5 x 1,5</u>	Hand-washing basin with welded-on triangular brackets, turned down 30 mm on all sides	550 x 450 x 150 500 x 300 x 150	1 1/2"	505 170		
		1 1/2" drain and overflow valve				223 063	
		Hand-washing basin without brackets, without overflow, turned down 30 mm on 3 sides, turned up 38 mm at rear, with 28 mm hole for tap	550 x 450 x 150 500 x 300 x 150	1 1/2"	505 821		
		1 1/2" stop valve				137 277	
	<u>WB 5,5 x 4,5 x 1,5</u>	Hand-washing basin with basin valance on 3 sides, turned down 30 mm on all sides	550 x 450 x 200 500 x 300 x 150	1 1/2"	507 009		
		1 1/2" drain and overflow valve				223 063	
	<u>WBS 4 x 3,2 x 1,5</u>	Hand-washing basin with basin valance on 3 sides, turned down 30 mm on three sides, turned up 20 mm at rear	400 x 320 x 200 340 x 240 x 150	1 1/2"			
		1/2" selectively controlled fitting (230 V connection)				566 228	
		with selectively controlled battery-operated mixer tap (3V battery)				573 966	
		1 1/2" drain and overflow valve				223 063	
	<u>HW-K 5,5 x 4,5 x 1,5</u>	Hand-washing basin with basin valance on 3 sides, incl. 1/2" upright tap with mechanical knee operation, turned down 30 mm on all sides, incl. drain valve	550 x 450 x 330 500 x 300 x 150	1 1/2"	566 230		



Industrial sinks EE, ED

Build-in basins, build-in glass-rinsing basins and double glass-rinsing basins of stainless steel (incl. mounting materials)

Illustration	Model	Designation	Exterior/ basin dimensions (mm)	Drain dia.	Order No.	Price in € w/o VAT
	EE 3 x 4	Build-in basin with overflow	330 x 470 / 240 x 370 x 150 Cut-out dimensions: 310 x 450	1 1/2"	501 067	
		1 1/2" drain and overflow valve			223 063	
	EE 3 x 4	Build-in basin without overflow	330 x 470 / 240 x 370 x 150 Cut-out dimensions: 310 x 450	1 1/2"	502 821	
		1 1/2" tube overflow			369 961	
	EE 4 x 4	Build-in basin with overflow	435 x 470 / 340 x 370 x 150 Cut-out dimensions: 415 x 450	1 1/2"	501 065	
		1 1/2" drain and overflow valve			223 063	
	EE 4 x 4	Build-in basin without overflow	435 x 470 / 340 x 370 x 150 Cut-out dimensions: 415 x 450	1 1/2"	531 282	
		1 1/2" tube overflow			369 961	
	EE 5 x 5-4,2	Build-in basin with overflow	500 x 500 / 400 x 400 x 200 Cut-out dimensions: 480 x 480	1 1/2"	504 031	
		1 1/2" drain and overflow valve			223 063	
	EE 5 x 5-4,2	Build-in basin without overflow	500 x 500 / 400 x 400 x 200 Cut-out dimensions: 480 x 480	1 1/2"	531 298	
		1 1/2" tube overflow			369 962	
EE 5 x 5-4,3	Build-in basin without overflow	500 x 500 / 400 x 400 x 300 Cut-out dimensions: 480 x 480	1 1/2"	504 032		
	1 1/2" tube overflow			369 964		
	EE 3,8 x 5,8	Build-in glass-rinsing basins	380 x 580 / 302 x 502 x 300 Cut-out dimensions: 360 x 560	1 1/2"	505 035	
		1 1/2" tube overflow			369 964	
	ED 7,1 x 5,8	Build-in double glass-rinsing basins	710 x 580 / 302 x 502 x 300 Cut-out dimensions: 690 x 560	1 1/2"	505 037	
		1 1/2" tube overflow (2 pieces required)			369 964	
		Drain connection for double basin			369 969	

Industrial sinks E, DB




Weld-in glass-rinsing basins and double glass-rinsing basins of stainless steel

Illustration	Model	Designation	Basin dimensions (mm)	Drain dia.	Order No.	Price in € w/o VAT
not shown	E 4 x 4 x 3	Glass-rinsing basin	400 x 400 x 300	1 1/2"	200 470	
		1 1/2" tube overflow			369 964	
	E 3 x 5 x 3	Glass-rinsing basin	302 x 502 x 300	1 1/2"	205 873	
		1 1/2" tube overflow			369 964	
	DB 6,6 x 5,4	Double glass-rinsing basins	302 x 502 x 300 each	1 1/2"	205 876	
		1 1/2" tube overflow (2 pieces required)			369 964	
		Drain connection for double basin			369 969	

The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

Industrial sinks E Softline









Weld-in sink basins of stainless steel

Illustration	Model	Designation	Basin dimensions (mm)	Drain dia.	Order No.	Price in € w/o VAT
	<u>E 2,4 x 3,4 x 1,5</u>	Sink basin with overflow (centered on short side)	240 x 340 x 150	1 1/2"	200 856	
		1 1/2" drain and overflow valve with extension			298 026	
	<u>E 2,4 x 3,4 x 1,5</u>	Sink basin without overflow	240 x 340 x 150	1 1/2"	200 855	
		1 1/2" tube overflow complete with basket strainer			369 961	
	<u>E 2,4 x 3,7 x 1,5</u>	Sink basin with overflow (centered on short side)	240 x 370 x 150	1 1/2"	201 148	
		1 1/2" drain and overflow valve			223 063	
	<u>E 2,4 x 3,7 x 1,5</u>	Sink basin without overflow	240 x 370 x 150	1 1/2"	203 400	
		1 1/2" tube overflow complete with basket strainer			369 961	
	<u>E 3,4 x 2,4 x 1,5</u>	Sink basin with overflow (centered on long side)	340 x 240 x 150	1 1/2"	298 025	
		1 1/2" drain and overflow valve			223 063	
	<u>E 3,7 x 3,4 x 1,5</u>	Sink basin, drain on right , with overflow	370 x 340 x 150	2"	364 208	
		<u>E 3,7 x 3,4 x 1,5</u>	Sink basin, drain on left , with overflow	370 x 340 x 150	2"	364 209
			2" drain and overflow valve			572 232
	<u>E 3,7 x 3,4 x 1,5</u>	Sink basin, drain on right , without overflow	370 x 340 x 150	2"	363 856	
		<u>E 3,7 x 3,4 x 1,5</u>	Sink basin, drain on left , without overflow	370 x 340 x 150	2"	363 857
			1 1/2" tube overflow for basin with 2" drain complete with basket strainer			369 972
	<u>E 4 x 4 x 2</u>	Sink basin,	400 x 400 x 200	2"	2 200 454	
		1 1/2" tube overflow for basin with 2" drain complete with basket strainer			369 973	
	<u>E 4 x 4 x 2,5</u>	Sink basin	400 x 400 x 250	2"	2 200 929	
		1 1/2" tube overflow for basin with 2" drain complete with basket strainer			369 974	
	<u>E 5 x 5 x 2,5</u>	Sink basin	500 x 500 x 250	2"	2 200 931	
		2" tube overflow complete with basket strainer			369 965	
	<u>E 5 x 5 x 3</u>	Sink basin	500 x 500 x 300	2"	2 200 932	
		2" tube overflow complete with basket strainer			369 966	
	<u>E 5 x 5 x 3,5</u>	Sink basin	500 x 500 x 350	2"	2 200 933	
		2" tube overflow complete with basket strainer			369 967	

The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

Industrial sinks E Hardline




Weld-in sink basins of stainless steel

Illustration	Model	Designation	Basin dimensions (mm)	Drain dia.	Order No.	Price in € w/o VAT
	<u>E 4 x 4 x 3</u>	Sink basin	400 x 400 x 300	2"	200 930	
		1 1/2" tube overflow for basin with 2" drain complete with basket strainer			369 975	
	<u>E 4,5 x 4,5 x 2,5</u>	Sink basin	450 x 450 x 250	2"	201 292	
		1 1/2" tube overflow for basin with 2" drain complete with basket strainer			369 974	
	<u>E 5 x 4 x 2,5</u>	Sink basin, drain on right	500 x 400 x 250	2"	2 200 463	
		Sink basin, drain on left			2 200 464	
		2" tube overflow complete with basket strainer			369 965	
	<u>E 5 x 4 x 3</u>	Sink basin, drain on right	500 x 400 x 300	2"	2 208 197	
		Sink basin, drain on left			2 208 198	
		2" tube overflow complete with basket strainer			369 966	
	<u>E 6 x 5 x 2,5</u>	Sink basin, drain on right	600 x 500 x 250	2"	200 934	
		Sink basin, drain on left			200 935	
		2" tube overflow complete with basket strainer			369 965	
	<u>E 6 x 5 x 3</u>	Sink basin, drain on right	600 x 500 x 300	2"	203 569	
		Sink basin, drain on left			203 570	
		2" tube overflow complete with basket strainer			369 966	
	<u>E 6 x 6 x 3</u>	Sink basin	600 x 600 x 300	2"	200 936	
		2" tube overflow complete with basket strainer			369 966	
	<u>E 7 x 6 x 3</u>	Sink basin, drain on right	700 x 600 x 300	2"	200 937	
		Sink basin, drain on left			200 938	
		2" tube overflow complete with basket strainer			369 966	
	<u>E 7,5 x 5,6 x 3,8</u>	Sink basin, drain on left , without bottom incline	750 x 560 x 380	2"	200 939	
		2" tube overflow complete with basket strainer			369 968	
	<u>E 5 x 3 x 1,5</u>	Hand-washing basin with overflow	500 x 300 x 150	1 1/2"	201 483	
		1 1/2" drain and overflow valve			223 063	








The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

Accessories for industrial sinks

Tube overflows/ corner strainers

Illustration	Model	Designation	Basin dimensions (mm)	Drain dia.	Order No.	Price in € w/o VAT
	<u>1 1/2" tube overflow with rubber taper</u>	1 1/2" tube overflow, complete with basket strainer for basins with drain, made of corrosion-resistant stainless steel	150	130	369 961	
			200	180	369 962	
			250	200	369 963	
			300	250	369 964	
		2" tube overflow, complete with basket strainer for basins with drain, made of corrosion-resistant stainless steel	150	130	369 972	
			200	180	369 973	
			250	200	369 974	
	<u>2" tube overflow with metal taper</u>	2" tube overflow, complete with basket strainer for basins with drain, made of corrosion-resistant stainless steel	300	250	369 975	
			250	200	369 965	
			300	250	369 966	
			350	300	369 967	
	<u>Corner strainer</u>	Corner strainer made of CNS, perforated, incl. mounting materials (adhesive suction cup)	400	350	369 968	
			150		503 414	
			200		503 415	
			250		502 829	
			300		502 830	
			350		502 831	
			400		503 416	

Drain valves/accessories



Illustration	Model	Designation	Basin dimensions (mm)	Drain dia.	Order No.	Price in € w/o VAT
	<u>HV</u>	Lever drain valve HV (without tilt lever)	approx. 2"	Please specify basin width	137 167	
	<u>HÜV</u>	Lever drain and overflow valve HÜV (without tilt lever)	approx. 2"	Special drain size required in basin	550 405	
not shown	<u>Tilt lever</u>	Suitable for drain valves HV/HÜV/DHÜV		350	550 017	
				400	550 018	
				500	550 019	
				600	550 020	
				700	550 021	
	<u>Stop valve</u>	Stop valve with chain and basket strainer	1 1/2"		137 277	
			2"		372 493	
	<u>Drain and overflow valve</u>	Drain and overflow valve for basin depth up to 150 mm	1 1/2"		223 063	
		Drain and overflow valve with extension piece (especially for weld-in basin E 2,4x3,4x1,5)	1 1/2"		298 026	
		Drain and overflow valve for basin depth up to 150 mm	2"		572 232	
		Drain and overflow valve for basin depth of 200 mm or deeper	1 1/2" and 2"		572 820	
	<u>Double drain and overflow set</u>	Double drain and overflow set	1 1/2"		504 748	
	<u>Drain connection</u>	For double basin units	1 1/2"		369 969	
		For double basin units	2"		369 970	
	<u>Odour trap</u>	Synthetic with adjustable drain, 50 mm dia.	1 1/2"		137 267	
			2"		369 971	

Accessories for industrial sinks

Single-hole mixer taps

Illustration	Model	Designation	Connection	Hole size (mm dia.)	Projection (mm)	Height (mm)	Order No.	Price in € w/o VAT
	BLANCO SPICA High-pressure	Two-handle mixer tap with swivel faucet	1/2"	35	200	170	137 324	
	BLANCO SPICA Low-pressure	Two-handle mixer tap with swivel faucet for boilers	1/2"	35	200	170	137 443	
	BLANCO WEGA High-pressure	Single-lever mixer tap with swivel faucet	1/2"	35	210	160	137 228	
	Mixer tap with selective control	Hands-free, electronically controlled single-hole mixer tap, sensor in fitting, opto-electronic triggering, 230 V supply voltage	1/2"	32	134	120	137 485	
not shown	Mixer tap with selective control, battery-operated	Hands-free, electronically controlled single-hole mixer tap, sensor in fitting, opto-electronic triggering, runs on 3 V battery	1/2"	32	134	120	572 442	


Spray wash arms

Illustration	Model	Designation	Connection	Hole spacing (mm)	Hole size (mm dia.)	Projection (mm)	Height (mm)	Order No.	Price in € w/o VAT
	Spray wash arm, upright	Spray wash arm with mixer tap and swivel faucet, Hose length approx. 1000 mm	1/2"	153	22	300	1100	137 379	
	Spray wash arm, wall-mounted	Spray wash arm with mixer tap and swivel faucet	1/2"	153		300	1100	137 380	


The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

Accessories for industrial sinks

Swingaway/fixed support racks




Illustration	Model	Designation	For models	Basin size (mm)	Order No.	Price in € w/o VAT
not shown	<u>Fixed support rack</u>	Fixed support rack of synthetic	All HAU	370 x 340	365 339	
	<u>Swingaway support rack</u>	Swingaway support rack of CNS, incl. mounting materials	All HAU	370 x 340	565 930	
		Swingaway support rack of CNS for utility sink model AB, incl. mounting materials		500 x 500	565 932	
				600 x 600	565 933	

Screw-on support/caulking strip

Illustration	Model	Designation	Order No.	Price in € w/o VAT
	<u>Caulking strip</u>	Caulking strip of synthetic (grey) for sink unit tops with vertical shelf Price per running meter	137 513	

Accessories for industrial sinks

Towel dispenser/wastepaper basket

Illustration	Model	Designation	Filling capacity	Dimensions (mm)	Order No.	Price in € w/o VAT
	<u>Towel dispenser HSE 31</u>	Towel dispenser for folded disposable towels (245 x 90 mm) Material: polished stainless-steel housing	250–500 pcs., depending on towel quality	275 x 130 x 355	144 663	
	<u>Soap / disinfectant dispenser TV 25</u>	Soap/disinfectant dispenser, Material: polished stainless-steel housing	1 liters	94 x 162 x 273	144 665	
	<u>Wastepaper basket 60 liters.</u>	Wastepaper basket for used paper towels. Material: synthetic-coated steel mesh, white (also suitable for wall-mounting)	60 liters	400 x 280 x 630	143 840	

Additional components – bain-marie



Bain-marie wells


Illustration	Model	Designation	Depth (mm)	Exterior dimensions L x W (mm)	Interior dimensions (mm)	Order No.	Price in € w/o VAT
	<u>G-BM 2/1-220</u>	GN exterior container, bain-marie	220	660 x 540 mm	630 x 510 mm	564 450	
	<u>G-BM 2/1-240</u>		240	660 x 540 mm	630 x 510 mm	567 141	
	<u>G-BM 1/1-160</u>		160	540 x 335 mm	510 x 305 mm	550 643	
	<u>G-BM 1/1-210</u>		210	540 x 335 mm	510 x 305 mm	550 644	

Bain-marie wells

Illustration	Model	Designation	Dimensions L x W (mm)	Connected load	Drain	Order No.	Price in € w/o VAT
	BMS 1/1	Weld-in bain-marie can be heated wet, indirect heating, service-friendly, in the underframe, insulated heating well with tubular heating elements, for GN 1/1 or its subdivisions	540 x 335 x 215 mm	230 V 0.7 kW	1/2"	550 301	
					3/4"	564 759	
	BMS 1/1	Weld-in bain-marie with increased heating capacity can be heated wet, indirect heating, service-friendly, in the underframe, insulated heating well with tubular heating elements for GN 1/1 or its subdivisions	540 x 335 x 215 mm	230 V 1.0 kW	1/2"	564 760	
					3/4"	564 761	
	BMS 2/1	Weld-in bain-marie can be heated wet, indirect heating, service-friendly, in the underframe, insulated heating well with tubular heating elements, for GN 1/1 or its subdivisions	660 x 540 x 220 mm	230 V 1.4 kW	1/2"	564 762	
					3/4"	564 763	
	BMS 2/1	Weld-in bain-marie with increased heating capacity can be heated wet, indirect heating, service-friendly, in the underframe, insulated heating well with tubular heating elements, for GN 1/1 or its subdivisions	660 x 540 x 220 mm	230 V 2.0 kW	1/2"	564 765	
					3/4"	564 766	

Additional components – Build-in bain-marie






Build-in bain-marie

Illustration	Model	Designation	Dimensions L x W x H (in mm)	Connected load	Drain size	Order No.	Price in € w/o VAT
not shown	<u>BME 1/1</u>	<p>Build-in bain-marie with fastening elements for installation in Resopal top surfaces etc. Seamlessly deep-drawn with all-round slosh guard, with drain connection piece</p> <p>without insulation housing, heating mode: wet and dry, for GN 1/1 or its subdivisions</p> <p>Temperature control from +30 °C to +110 °C Rotary switch for thermostat with indicator lamp</p>	371 x 576 x 250 mm	230 V 0.7 kW	1/2"	566 260	
not shown	<u>BME-I 1/1</u>	<p>Build-in bain-marie with fastening elements for installation in Resopal top surfaces etc. Seamlessly deep-drawn with all-round slosh guard, with drain connection piece</p> <p>with insulation housing, heating mode: wet and dry, for GN 1/1 or its subdivisions</p> <p>Temperature control from +30 °C to +110 °C Rotary switch for thermostat with indicator lamp</p>	371 x 576 x 275 mm	230 V 0.7 kW	1/2"	566 262	
		Added price for <u>ball valve</u>				098 215	



Additional components



Cutlery and napkin dispensers

Illustration	Model	Designation	Dimensions L x W x H (mm)	Order No.	Price in € w/o VAT
	SSP-E 3	Build-in napkin dispenser of stainless steel Capacity: 250 folded napkins (approx. 125 x 90 mm)	182 x 146 x 338 mm Cutout dimensions: 174 x 106 mm	566 311	
	SSP-E 6	Build-in napkin dispenser of stainless steel Capacity: 500 folded napkins (approx. 125 x 90 mm)	182 x 146 x 620 mm Cutout dimensions: 174 x 106 mm	566 312	
	SSP-T	Tabletop napkin dispenser of stainless steel Capacity: 250 folded napkins (approx. 125 x 90 mm)	182 x 146 x 340 mm	566 313	
	SSP-BT	Underframe napkin dispenser suitable for cutlery and tray trolley BT 400/800 Capacity: 250 folded napkins (approx. 125 x 90 mm)	182 x 146 x 340 mm	566 314	
	BSP 4	Cutlery dispenser with 4 removable GN 1/4-150 cutlery holders of stainless steel with Plexiglas sneeze guard, for a total of 400 pieces of cutlery	682 x 304 x 306 mm	565 840	
	Cutlery container	Cutlery container of stainless steel, GN 1/4-150 with angled base and hinged half-flap Plexiglas lid for use in trolleys and free-standing	265 x 162 x 150 mm	565 786	
	Cutlery basket	Cutlery basket of stainless steel, perforated	115 mm dia. Height: 145 mm	144 121	

Cup dispensers

	BDP	Build-in cup dispenser of stainless steel, for disposable cups, cup dispenser tube with adjustment mechanism for cup sizes 68–90 mm dia., can be fixed in place with locking screw	Installation dimen- sions: Depth: 648 mm 104 mm dia.	565 452	
		for cup sizes 78–93 mm dia., can be fixed in place with locking screw	Installation dimen- sions: Depth: 648 mm 104 mm dia.	572570	
	BDPW	Wall-mounted cup dispenser of stainless steel, for disposable cups, cup dispenser tube with adjustment mechanism, for cup sizes 68–90 mm dia., can be fixed in place with locking screw	Total height: 675 mm outside diameter: 135 mm	565 590	


Additional components




Spice containers

Illustration	Model	Designation	Dimensions L x W x H (mm)	Load capacity (kg)	Order No.	Price in € w/o VAT
	GWB 1/6-150	Spice container of stainless steel, with hinged Plexiglas lid	176 x 162 x 150 mm		550 501	
	Spice jar	Spice jar, round of synthetic with hinged spout	100 mm dia. Height: 180 mm		145 423	
	GWS 1/6	Spice pourer without guide GWS 1/9-100 of stainless steel, capacity: 0.9 l	108 x 176 x 100 mm		564 880	
	GWS 1/6	Spice pourer without guide GWS 1/6-100 of stainless steel, capacity: 1.6 l	162 x 176 x 100 mm		556 524	
	GWS 1/4	Spice pourer without guide GWS 1/4-100 of stainless steel, capacity: 2.8 l	162 x 265 x 100 mm		556 527	

Other additional components

	Dip container for serving utensil	Dip container for serving utensils of stainless steel, complete with tap and tap fittings, basin with perforated insert and drain and overflow	Installation dimensions: 177 mm dia.		143 575	
---	--	---	--------------------------------------	--	----------------	--

Folding table

	Folding table, stainless steel	Stainless-steel folding table	1600 x 700 x 855 mm	100 kg	367 421	
--	---------------------------------------	-------------------------------	---------------------	--------	----------------	--

The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

